



REC'D 0 9 DEC 2003

WIPO

PRIORITY

SUBMITTED OR TRANSMITTED IN COMPLIANCE WITH RULE 17.1(a) OR (b) **Patent Office** Canberra

I, LEANNE MYNOTT, MANAGER EXAMINATION SUPPORT AND SALES hereby certify that annexed is a true copy of the Provisional specification in connection with Application No. 2002952721 for a patent by MARS INCORPORATED as filed on 18 November 2002.



WITNESS my hand this Twenty-eighth day of November 2003

LEANNE MYNOTT

MANAGER EXAMINATION SUPPORT

AND SALES

AUSTRALIA

Patents Act 1990

ORIGINAL

PROVISIONAL SPECIFICATION

Meat Analogue of Authentic Appearance

The invention is described in the following statement:

MEAT ANALOGUE OF AUTHENTIC APPEARANCE

FIELD OF THE INVENTION

5

10

15

20

25

30

The invention relates to the field of commercial pet food manufacture. In particular it relates to a protein based material that may be used to represent an authentic meat-like chunk in packaged pet food of the type filled in cans, trays and the like rigid and semi-rigid containers, and a method of manufacturing same.

BACKGROUND OF THE INVENTION

Food manufacturers, including commercial canned pet food manufacturers, are continuously challenged to find ways to present an appetizing and authentic food product at minimised raw material costs. One area of particular endeavour has been the goal of producing attractive meat-based products from low-grade meat by-products.

The most basic attempts to produce a meat-like 'chunk', or 'meat analogue' have involved the fine grinding of meat by-products such as liver, lungs and other trims obtained from commercial slaughter operations, with cereals and other binders, followed by heat setting. The heat-set material may then be cut into desired shapes, such as cubes, and mixed into the canned food product. Such techniques are very well known in the pet food manufacturing art, and are successfully used for many volume-selling canned pet foods.

However, for some pet food products, in particular the premium and 'super-premium' products, such analogues do not provide a suitable product aesthetic. These basic analogues in particular do not have the appealing 'fibrous' internal texture that is associated with premium muscle meat. The target for premium products is to provide an aesthetic that is as close as possible to a piece of lean steak placed in the can or tray. The traditional analogue does not provide this aesthetic.

Also, where these analogues are to be included in a canned 'chunks in sauce' style product, the can sterilisation process tends to cause the analogues to become further cooked, which results in the egress of cloudy protein material into the sauce, known as 'cook-out'. This can adversely affect the colour and clarity of the sauce, especially where a relatively clear sauce is desired.

2

One approach that has been taken to provide a suitable analogue for premium canned pet foods is to use cereal-based extruded chunks. Such materials tend to have the desired fibrous internal texture, due to the nature of the extrusion process, and tend to be less likely to produce cook out. However, cereal-based analogues often do not have the desired innate palatability that is required of premium-branded products.

A superior meat analogue is described in WIPO Patent Document No. WO 00/69276, by Effem Foods Pty Ltd. That document discloses an extruded meat analogue of high protein content that has excellent meat-like internal texture and suitable palatability for inclusion in premium pet foods. In particular, this kind of analogue does not produce the cloudy 'cook-out' observed in the traditional analogues.

However, due to its high strength ex-extruder, there may be difficulties in cutting or dicing this material in a sufficiently controlled manner for it to resemble a carefully prepared diced or sliced piece of steak, if this appearance is desired. The shredded product produced by the process described in WO 00/69276 tends to display a range of sizes and shapes that would make it unsuitable for this purpose.

In addition, the outer (non-shredded) surfaces of such extruded proteinaceous products can tend to be quite smooth, which is not the typical surface expected of a piece of diced muscle meat. Therefore, this lack of authenticity also detracts from the suitability of this type of analogue for use in premium 'chunks in sauce' pet foods.

Therefore, it is an object of the present invention to provide a meat analogue material that is suitable for inclusion in premium pet foods sold in cans, trays and the like containers, where a diced or sliced muscle meat aesthetic is desired.

SUMMARY OF THE INVENTION

5

10

15

20

25

30

According to one aspect of the invention, there is provided a proteinaceous meat analogue for incorporation into packaged pet foods that consists of particles of texturised, proteinaceous extrudate material dispersed in a matrix composed of ground meat-based and cereal-based materials. The inclusion of the extrudate

3

material tends to ensure both that the cut surface of the analogue displays a 'fibrous' meat-like texture, due to the internal texture of the extrudate itself, and that the outer surface of the analogue displays an authentic 'uneven' texture, due to differential hydration of the extrudate compared with the surrounding matrix during thermal processing. An important aspect of the invention resides in employing the effect of differential hydration of the dispersed extrudate to cause the surface of the analogue to undulate, while obtaining the benefit of the fibrous internal texture of the extrudate in enhancing the fibrous 'meat-like' cut surface of the analogue.

5

10

15

20

25

30

Preferably, the extrudate is included in the meat and cereal matrix at between 20% and 80% by mass. Good results have been observed at inclusion rates of between 35% and 45% by mass, although further fine tuning may allow lower inclusion rates of the process for commercial scale operation.

The extrudate pieces may be included at any desired size that still provides a discernable fibrous texture to the cut surface of the analogue. Best results have been observed with extrudate pieces of average cross sectional diameter in the range 5mm – 80mm for chunks that are to be used in super-premium pet food analogues. Suitable extrudate sizes may readily be selected for other desired analogue sizes and shapes.

Advantageously, the extrudate is a high-moisture extruded material including about 40 to 95% by weight edible proteinaceous materials selected from the group consisting of meat of bovine, ovine or other extraction, predetermined mixtures of defatted soy flour, soy meal, soy concentrate, cereal gluten in vital or starch-containing form and egg white; and up to about 7% by weight of edible mineral binding and cross-linking compounds. Especially advantageously, the extrudate should conform to the composition and manufacture described in WO 00/69276. This type of extrudate material has been found to provide an excellent internal texture to the analogue, is palatable and tends not to cause 'cook-out' cloudiness in the canned product sauce.

A preferred composition (by mass) of the analogue is: 35-60% high-moisture extruded material, as described above; 5-15% ground or diced muscle meat derived from animals of the group comprising ovines, bovines and porcines; 8-50% ground meat derived from poultry; 8-25% ground liver or pluck (which-

may contain liver, heart and lungs) derived from animals of the group comprising ovines, bovines and porcines; 2-10% binding materials; 1-7% cereal; 0.1-5% flavours and colours and 7-30% water.

In another aspect, the invention provides a prepared commercial canned, trayed, pouched or similarly packaged pet food that includes a proteinaceous meat analogue that consists of particles of texturised, proteinaceous extrudate material dispersed in a matrix composed of ground meat-based and cereal-based materials.

5

10

15

20

25

30

In a further aspect, the invention provides a method of manufacturing a proteinaceous meat analogue, consisting of particles of texturised, proteinaceous extrudate material dispersed in a matrix composed of ground meat-based and cereal-based materials, including the steps of:

preparing a paste including comminuted meat material, cereal and binder materials;

blending this paste with particles of texturised, proteinaceous extrudate material;

thermally processing this blend of materials to cause the paste to set, thereby encapsulating the extrudate material; and

cutting the thermally set analogue material to desired size and shape for inclusion in pet food products.

In a step alternative to or in partial replacement thereof, the paste may be set using other than purely thermal processing. Binding of the paste ingredients may be effected using suitable gels and starches. Starches may be used which require lower temperature ranges as would be present utilising thermal setting techniques alone.

It will be apparent to those familiar with the art that the process described above may be embodied either as a batch or continuous process.

The nature of the invention will be further explained using a specific, non-limiting example of a meat analogue material displaying an good resemblance to a slice of muscle meat according to the invention.

EXAMPLE - BEEF ANALOGUE FOR PREMIUM DOG FOOD

A beef steak analogue product according to the invention was prepared. The overall formulation of the product is given in Table 1.

Table 1.

Ingredient	mass %
Fibrous Proteinaceous Extruded	40
Chunk	
Mechanically De-boned	49.98
Chicken Meat (MDM)	
Binders,	3.0
Water	7.0
Red Iron Oxide	0.02

5

The fibrous extruded material was obtained as per the formulation and process described in WO 00/69276. For this application, it was shredded to an approximate size corresponding to the ranges: height range from 0.5-10mm, width range from 5-30mm, length range from 20-80mm.

10

The analogue was prepared according to the process flow shown in Figure 1. Firstly the water, binders and red iron oxide are mixed in a high speed liquid mixer. The binders serve to hold the structure of the analogue together while the red iron oxide provides authentic colour to the analogue. The chicken MDM was ground in a Weiler-type meat grinder having a hole plate size in the range 2-10 mm.

15

Then the mixed liquid, the ground meats and the extruded material are transferred to a horizontal paddle blender and mixed until relatively homogeneous.

20

This mixture is then filled into steel tubes, preferably having an internal diameter of about 50 mm. It will be appreciated by those skilled in the art that any desirable shape and diameter may be used. The filling is accomplished via a vacuum filler of the type commonly used in smallgoods manufacturing. The filled and sealed casings are placed on retort racks and thermally processed in a retort at a temperature of 95°C for approximately 60 minutes. The thermal processing

causes the protein matrix present in the mix to denature and thereby bind the extruded chunk. The thermal processing also tends to reduce the likelihood that further material will be expressed by the analogue as it is further processed during the sterilization of the canned products in which it is to be included, causing 'cook-out' cloudiness in the sauce.

After thermal processing, and optional chilled storage, the casing is removed and the 'sausage' of analogue material may be cut to appropriate sizes and shapes for inclusion in canned pet food products. The cut surface of the analogue displays a fibrous 'meaty' appearance desired in premium pet food products, while the outer surface of the 'sausage' displays a relatively undulating texture similar to that displayed by cooked meat such as steak. This surface enhances the authenticity of the analogue appearance, avoiding the artificially smooth appearance of an analogue composed only of comminuted meat. The presence of evenly but randomly distributed chunks of extruded material in the analogue contributes to the controlled but visible unevenness of the analogue surface.

DATED this 18th day of November 2002 MARS INCORPORATED

20

25

15

5

10

WATERMARK PATENT & TRADE MARK ATTORNEYS 290 BURWOOD ROAD HAWTHORN VICTORIA 3122 AUSTRALIA

Figure 1.

